





This allows you to switch tripod heads for different styles in seconds without needing to remove and replace the head.

Using the lightweight platform also lowers the weight by over 300g. Great if you're using it for landscapes and needing to carry it longer distances!

TRIPOD HEAD QUICK RELEASE SYSTEM





- Loosen the levelling system adjustment knob
- Flip the pan/safety lock knob up to release and remove the levelling system.

TIP Using a dual axis ball head (such as the VEO BH-250S) on the lightweight platform will help you get a level seconds using the ball joint and allow you to pan/reframe your shot using the top axis







- Retractable spiked feet
- Easy set & easy clean leg locks
- 30mm legs that deliver a solid 25kg load capacity
- Levelling system control handle (±15° tilt | 360° pan)
- Easy set leg angles (23°, 50° & 80°)
- Platform loosening lock
- Platform safety lock release
- Lightweight platform
- Levelling platform with 75mm diameter base and 3/8" thread



Feature	Alta Pro 3VRL 303AT	Alta Pro 3VRL 303CT	Alta Pro 3VRL 304AT	Alta Pro 3VRL 304CT
Material	Aluminium	Carbon Fibre	Aluminium	Carbon Fibre
Load Capacity	25kg			
Removable Levelling System	Yes Tilts ±15° Rotates 360° 75mm diameter with 3/8" thread Weighs 420g			
Lightweight Platform	ALTA PRO 3VRL Platform 30 included Weighs 90g			
Head	None Tripod only			
Legs	3-section 30mm diameter		4-section 30mm diameter	
Feet	Retractable rubber/spiked feet			
Extended Height	1700mm without central column		1525mm without central column	
Low Angle Height	180mm		160mm	
Folded Height	760mm		580mm	
Weight fitted with Removable Level	2440g	2085g	2380g	2050g
Thread for Magic Arm	Yes Includes non-twist sides slots for products like VEO TSA DLX tripod support arms			
Tripod Bag	Luxury padded tripod bag			

TIP If you don't need the removable central column, then check out the Alta Pro 3VL models

